

# Safety Data Sheet



## ***FP Pressure Sensitive Paint Part A (FPA-xxx)***

Version 1.0/Revision Date 3/12/2015

### **Section 1. Product and Company Identification**

Product name: FP Pressure Sensitive Paint Part A (FPA-xxx)  
Recommended Use: Paint  
Company: Innovative Scientific Solutions, Inc. (ISSI)  
7610 McEwen Road  
Dayton, Ohio, 45459 USA  
Telephone: +1-937-630-3012  
Emergency Telephone Number: +1-800-535-5053 (INFOTRAC)

### **Section 2. Hazards Identification**

None.

### **Section 3. Hazardous Components Information**

None

### **Section 4. First Aid Measures**

- **Skin Contact:** Wash off with soap and water.
- **Eye Contact:** Flush eyes with water for 15 minutes. Seek medical attention.
- **Ingestion:** Seek medical attention.

### **Section 5. Fire Fighting Measures**

Non Flammable

### **Section 6. Accidental Release Measures**

- **Personal Precautions:** Avoid breathing vapor or mist.
- **Environmental Precautions:** Avoid discharge into the environment by preventing the product from entering sewer drains or storm drains.
- **Methods for Cleaning Up Spills:** Clean up with rags.

### **Section 7. Handling and Storage**

No specific handling hazards.

### **Section 8. Exposure Control Personal Protection**

- **Hand Protection:** Use protective gloves.
- **Eye Protection:** Safety glasses.
- **Hygiene Measures:** Practice good industrial hygiene and safety by washing hands thoroughly with soap and water after using this product.

# Safety Data Sheet



## ***FP Pressure Sensitive Paint Part A (FPA-xxx)***

Version 1.0/Revision Date 3/12/2015

### **Section 9. Physical and Chemical Properties**

Appearance:	White Milky Liquid
Odor:	None
Odor Threshold:	None
Vapor Pressure:	No data
Vapor Density:	No data
pH:	7
Melting Point:	0° C (32° F)
Boiling Point:	100° C (212° F) at 760mmHg
Flash Point:	N/A
Evaporation Rate:	No data
Ignition Temperature:	N/A
LEL:	No data
UEL:	No data
Auto Ignition Temperature:	N/A
Decomposition Temperature:	N/A
Viscosity:	No data
Partition Coefficient:	N/A
Specific Gravity:	1.1
Water Solubility:	Water Soluble

### **Section 10. Stability and Reactivity**

- **Storage:** Stable under recommended storage conditions.
- **Conditions to Avoid:** Don't store the product below 0° C (32 F).
- **Materials to Avoid:** None
- **Hazardous Decomposition Products:** None
- **Hazardous Reactions:** None

### **Section 11. Toxicological Information**

- **Acute Toxicity**  
Not acutely toxic.
- **Chronic Exposure**  
No chronic exposure effects are known.
- **Signs of Over Exposure**  
None

### **Section 12. Ecological Information**

- **Elimination:** No data available
- **Ecotoxicity:** No data available
- **Additional Information:**  
Unprofessional or irresponsible use or disposal of this product could pose a long term danger to the environment.

# Safety Data Sheet

ISSI

***FP Pressure Sensitive Paint Part A (FPA-xxx)***

Version 1.0/Revision Date 3/12/2015

## **Section 13. Disposal Considerations**

Observe all local waste disposal regulations and contact a licensed, professional waste disposal service to dispose of this product.

## **Section 14. Transport Information**

Proper Shipping Name: FP Pressure Sensitive Paint Part A (FPA-xxx)

USDOT Hazard Class 3 Flammable Liquid

UN1263 Packing Group III

## **Section 15. Regulatory Information**

**OSHA Hazards:** None specific

## **Section 16. Additional Information**

The above information is believed to be correct by ISSI personnel based on present knowledge but is intended solely as a guide. Always take precautions and behave professionally and responsibly when handling chemicals. ISSI assumes no liability whatsoever for improper handling, storage, or utilization outside of the intended use of this product. 3/12/2015